

## Potential site analysis for site 866, Landway Farm, Jameston (south)

Associated settlement     **Jameston**  
LDP settlement tier       **Rural centres**  
Community Council area **Manorbier**  
Site area (hectares)       **0.01**

**Site register reference(s) (if proposed as development site for LDP)** 3317/SR154

### **Relationship to designated areas**

Not within 500 metres of a SAC.

Not within 500 metres of a SPA.

Not within 500 metres of a National Nature Reserve.

Not within 100 metres of a Local Nature Reserve.

Not within 500 metres of a Marine Nature Reserve.

Not within 100 metres of a Woodland Trust Nature Reserve.

Not within 100 metres of a Wildlife Trust Nature Reserve.

Not within 100 metres of Access Land.

Not within 100 metres of a Scheduled Ancient Monument.

Not within 50 metres of a Listed Building.

Within a Historic Landscape Area.

Not within 100 metres of a Historic Garden.

Not within 50 metres of Contaminated Land.

Not within airfield safeguarding zones for buildings under 15m high.

Not within HSE safeguarding zones.

Not within MoD safeguarding zones for buildings under 15m high.

Not within 10 metres of a Tree Protection Order.

Not within 100 metres of ancient or semi-natural woodland.

Underlying Agricultural Land Classification: 3 (1 is Agriculturally most valuable, 5 is least valuable).

Not within a quarry buffer zone.

Not within safeguarded route for roads or cycleways.

No Public Right of Way.

Not a Village Green.

## Stage one commentary

Site is not wholly within a Site of Special Scientific Interest; Natura 2000 site; National, Local, Marine, Woodland Trust or Wildlife Trust nature reserve; or Scheduled Ancient Monument.

Does the site pass stage one site criteria tests? **Yes**

## Stage two evaluation

**Ownership** S & H Thomas

**General overview** This building is part of a farm complex to the south of Jameston, constructed of wood and corrugated material, with the gable end onto Cob Lane to the west. The caravan is located immediately to the south.

**Greenfield or Brownfield/PDL** Greenfield **Estimated number of dwellings** 0

**Adjoining uses and access** The property sits at the southern edge of a complex of agricultural buildings. Existing access is from Cob Lane to the west.

**Visible constraints to development**

**Impact on National Park's Special Qualities** Jameston is a linear village sited along the floor of a broad valley. It lies within the Manorbier Registered Landscape of Special Historic Importance, with the old core of the village along the main road, centred on the crossroads. At the north of the village, fields are characteristic of the distinctive relict medieval landscape pattern rising up to the Ridgeway and provide an important special quality which generate a strong historical and cultural sense of place. Development of this site would be contained within the area of agricultural buildings and is not likely to be harmful to the special qualities of the wider area.

**Landscape impact mitigation measures**

**Affordable housing capacity assessment**

**General notes** The representation outlines a proposal to 'change' the outbuilding and caravan into a single residential use. It is unlikely that this will be achieved through conversion, and demolition and replacement more likely.

**Development planning history**

**Planning application history (planning applications within, overlapping or adjacent to the potential site)**

**Summary of geological risk (class A is lowest risk, class E is highest risk)**

Running sand class A; compressible ground class A; landslide class B; soluble rock class D; shrink swell class A

## Summary of flood risk (from TAN 15)

Not within a TAN 15 zone

**Public transport service** Services on at least 5 days a week, but lacking one or more of the features necessary to be strategic.

### Distance from potential sites to selected services in kilometres

Nearest shop	0.24	Nearest doctor	7.68
Nearest pub	0.21	Nearest Dentist	7.29
Nearest primary school	1.26	Nearest secondary school	7.15
Nearest post office	1.53	Nearest petrol station	4.27
Nearest community hall	4.24	Nearest police station	7.78
Nearest letter box	0.24	Nearest library	7.53
Nearest place of worship	0.18	Nearest cash point	0.35
Nearest sports ground	1.91		

\* Distances are in kilometres, 'as the crow flies'

### Consultee responses

Consultee	Date of response	Response
Countryside Council for Wales	01/05/2008	No adverse comments received.
Dwr Cymru	21/07/2008	Sewerage - No problems are envisaged with the public sewerage system for foul discharge from this development.
Dwr Cymru	21/07/2008	Sewage Treatment - We have numerous Waste Water Treatment Works within the County which are designed to treat foul effluent from residential and commercial/industrial premises. The discharges from each of the Works are licensed by the Environment Agency to meet European Directives. Dependant on the scale of development identified within your proposed Local Development Plan the associated sewerage catchment, and may need to be upgraded as required to accommodate future growth.
Dwr Cymru	21/07/2008	Water Supply – Pembrokeshire Coast National Park is fed from strategic Water Treatment Works in the County. These water treatment works are important assets for Dwr Cymru/Welsh Water (DCWW) in delivering potable water to customers, Commercial, Health & Education premises. DCWW are developing a 25 year water resource plan to meet projected future demands for the County. Based on future demands already shared with us we do not foresee any problems at present in meeting the anticipated domestic demands during the life of the Local Development Plan. Water is a precious resource and in line with Government objectives on sustainable development we would look to promoters of developments to have considered and included where feasible, water efficient devices within buildings and sustainable drainage measures.

Pembrokeshire Highway Authority      04/08/2008   No objections.

**Reasons site is suitable for development**

**Reasons site is not suitable for development**

The potential for conversion at this site will depend on detailed matters, including the location of the centre boundary, and cannot be decided at this stage. Conclusions will also be subject to detailed investigation of potential in relation to the guidance of Planning Policy Wales, and the Preferred Strategy.

**Does the site pass stage two tests?**    No

**Proposed use**    Conversion